

SMD LED 3030 1W

Type: SMD LED

Emitting Color:R, G, B, Y, WHITE

Model Number: AL-S3030NWC

Chip Material: InGaN


Viewing Angle(°): 120

Color Rendering Index(Ra): 90


Power: 0.5W or 1W

Luminous Flux(lm):50-55lm or 100-130lm

■ Package Dimensions:



Recommended Soldering Pattern



Notes:

1. All dimensions are in millimeters (inches).
2. Tolerance is $\pm 0.10\text{mm}$ (0.004") unless otherwise specified.

Type	color	WAVELENGTH	View Angle	Brightness	IF	VF
------	-------	------------	------------	------------	----	----

3030 SMD LED	WARM WHITE	2500~3500K	120°	100~130LM	150mA	2.8~3.4V
3030 SMD LED	NETURAL WHITE	5000~7000K	120°	100~130LM	150mA	2.8~3.4V
3030 SMD LED	COOL WHITE	>9000K	120°	100~130LM	150mA	2.8~3.4V

More details about SMD 3030 White leds

- SMD Soldered Module Available
- First-Choice for Indoor Ligting
- High Lumens Output & Low Brightness Decay
- Stable Performance & Great CCT Inity.
- Wid Color Temperature Range
- good raw materials
- 50000 hours lifespan

It is mostly used for outdoor and indoor lighting project. Full color and full brightness range are suitable for your different application.



SMD 3030 LED 1W Production Process

Advanced production equipment, professional operators, and a good production environment, creating high quality products and fast delivery time.



Welcome to your inquiry about led products. We are 24 hours online, will provide you best service and high quality products.

WELCOME TO CONTACT US>>>>WWW.ZHIDINGLED.COM



Oversea Sales Manager

Elsa Xiao

E-mail:sales@zhidingled.com

Skype: elsa.xiao0418

Mobile: 86-13412570091

WhatsApp: 86-13412570091

Tel: 86-769-22665151

Fax:86-769-22665155